
CCO Plate

BENEPARTS



- High volume primary chromium carbide evenly distributed.
- Flat surface with excellent plate flatness.
- Macro-hardness:58-63HRC.
- Multiple grades available to suit different applications.
- Excellent wear performance(ASTM G65 procedure A).
- Larger sheet size to extend plate utilizing.
- Uniform plus tolerance thickness.
- Good formability due to even stress relief in overlay.

BENEPARTS

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
1400X3000X6mm (3 on 3)	1400mmX3000mm	3	3	6	197.82	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×7mm (4 on 3)	1400mmX3000mm	3	4	7	230.79	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×9mm (6 on 3)	1400mmX3000mm	3	6	9	296.73	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×11mm (8 on 3)	1400mmX3000mm	3	8	11	362.67	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×13mm (10 on 3)	1400mmX3000mm	3	10	13	428.61	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×15mm (12 on 3)	1400mmX3000mm	3	12	15	494.55	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×10mm (4 on 6)	1400mmX3000mm	6	4	10	329.7	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×12mm (6 on 6)	1400mmX3000mm	6	6	12	395.64	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×14mm (8 on 6)	1400mmX3000mm	6	8	14	461.58	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×16mm (10 on 6)	1400mmX3000mm	6	10	16	527.52	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×18mm (12 on 6)	1400mmX3000mm	6	12	18	593.46	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×14mm (6 on 8)	1400mmX3000mm	8	6	14	461.58	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×16mm (8 on 8)	1400mmX3000mm	8	8	16	527.52	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×18mm (10 on 8)	1400mmX3000mm	8	10	18	593.46	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×20mm (12 on 8)	1400mmX3000mm	8	12	20	659.4	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×23mm (15 on 8)	1400mmX3000mm	8	15	23	758.31	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×26mm (18 on 8)	1400mmX3000mm	8	18	26	857.22	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×28mm (20 on 8)	1400mmX3000mm	8	20	28	923.16	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×18mm (8 on 10)	1400mmX3000mm	10	8	18	593.46	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×20mm (10 on 10)	1400mmX3000mm	10	10	20	659.4	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
1400X3000×22mm (12 on 10)	1400mmX3000mm	10	12	22	725.34	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×25mm (15 on 10)	1400mmX3000mm	10	15	25	824.25	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×28mm (18 on 10)	1400mmX3000mm	10	18	28	923.16	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×30mm (20 on 10)	1400mmX3000mm	10	20	30	989.1	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×35mm (25 on 10)	1400mmX3000mm	10	25	35	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×20mm (8 on 12)	1400mmX3000mm	12	8	20	659.4	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×22mm (10 on 12)	1400mmX3000mm	12	10	22	725.34	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×24mm (12 on 12)	1400mmX3000mm	12	12	24	791.28	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×27mm (15 on 12)	1400mmX3000mm	12	15	27	890.19	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×30mm (18 on 12)	1400mmX3000mm	12	18	30	989.1	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×32mm (20 on 12)	1400mmX3000mm	12	20	32	1055.04	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×37mm (25 on 12)	1400mmX3000mm	12	25	37	1219.89	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×42mm (30 on 12)	1400mmX3000mm	12	30	42	1384.74	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×25mm (10 on 15)	1400mmX3000mm	15	10	25	824.25	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×27mm (12 on 15)	1400mmX3000mm	15	12	27	890.19	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×30mm (15 on 15)	1400mmX3000mm	15	15	30	989.1	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×33mm (18 on 15)	1400mmX3000mm	15	18	33	1088.01	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×35mm (20 on 15)	1400mmX3000mm	15	20	35	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×40mm (25 on 15)	1400mmX3000mm	15	25	40	1318.8	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×45mm (30 on 15)	1400mmX3000mm	15	30	45	1483.65	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
1400X3000×28mm (10 on 18)	1400mmX3000mm	18	10	28	923.16	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×30mm (12 on 18)	1400mmX3000mm	18	12	30	989.1	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×33mm (15 on 18)	1400mmX3000mm	18	15	33	1088.01	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×36mm (18 on 18)	1400mmX3000mm	18	18	36	1186.92	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×38mm (20 on 18)	1400mmX3000mm	18	20	38	1252.86	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×43mm (25 on 18)	1400mmX3000mm	18	25	43	1417.71	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×48mm (30 on 18)	1400mmX3000mm	18	30	48	1582.56	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×30mm (10 on 20)	1400mmX3000mm	20	10	30	989.1	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×32mm (12 on 20)	1400mmX3000mm	20	12	32	1055.04	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×35mm (15 on 20)	1400mmX3000mm	20	15	35	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×38mm (18 on 20)	1400mmX3000mm	20	18	38	1252.86	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×40mm (20 on 20)	1400mmX3000mm	20	20	40	1318.8	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×45mm (25 on 20)	1400mmX3000mm	20	25	45	1483.65	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×50mm (30 on 20)	1400mmX3000mm	20	30	50	1648.5	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×55mm (35 on 20)	1400mmX3000mm	20	35	55	1813.35	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3000×60mm (40 on 20)	1400mmX3000mm	20	40	60	1978.2	BP-100,BP-200,BP-300,BP-600	Width / Length

Notes:

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
1400X3500×6mm (3 on 3)	1400mmX3500mm	3	3	6	230.79	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×7mm (4 on 3)	1400mmX3500mm	3	4	7	269.255	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×9mm (6 on 3)	1400mmX3500mm	3	6	9	346.185	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×11mm (8 on 3)	1400mmX3500mm	3	8	11	423.115	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×13mm (10 on 3)	1400mmX3500mm	3	10	13	500.045	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×15mm (12 on 3)	1400mmX3500mm	3	12	15	576.975	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×10mm (4 on 6)	1400mmX3500mm	6	4	10	384.65	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×12mm (6 on 6)	1400mmX3500mm	6	6	12	461.58	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×14mm (8 on 6)	1400mmX3500mm	6	8	14	538.51	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×16mm (10 on 6)	1400mmX3500mm	6	10	16	615.44	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×18mm (12 on 6)	1400mmX3500mm	6	12	18	692.37	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×14mm (6 on 8)	1400mmX3500mm	8	6	14	538.51	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×16mm (8 on 8)	1400mmX3500mm	8	8	16	615.44	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×18mm (10 on 8)	1400mmX3500mm	8	10	18	692.37	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×20mm (12 on 8)	1400mmX3500mm	8	12	20	769.3	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×23mm (15 on 8)	1400mmX3500mm	8	15	23	884.695	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×26mm (18 on 8)	1400mmX3500mm	8	18	26	1000.09	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×28mm (20 on 8)	1400mmX3500mm	8	20	28	1077.02	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×18mm (8 on 10)	1400mmX3500mm	10	8	18	692.37	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×20mm (10 on 10)	1400mmX3500mm	10	10	20	769.3	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
1400X3500×22mm (12 on 10)	1400mmX3500mm	10	12	22	846.23	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×25mm (15 on 10)	1400mmX3500mm	10	15	25	961.625	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×28mm (18 on 10)	1400mmX3500mm	10	18	28	1077.02	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×30mm (20 on 10)	1400mmX3500mm	10	20	30	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×35mm (25 on 10)	1400mmX3500mm	10	25	35	1346.275	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×20mm (8 on 12)	1400mmX3500mm	12	8	20	769.3	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×22mm (10 on 12)	1400mmX3500mm	12	10	22	846.23	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×24mm (12 on 12)	1400mmX3500mm	12	12	24	923.16	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×27mm (15 on 12)	1400mmX3500mm	12	15	27	1038.555	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×30mm (18 on 12)	1400mmX3500mm	12	18	30	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×32mm (20 on 12)	1400mmX3500mm	12	20	32	1230.88	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×37mm (25 on 12)	1400mmX3500mm	12	25	37	1423.205	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×42mm (30 on 12)	1400mmX3500mm	12	30	42	1615.53	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×25mm (10 on 15)	1400mmX3500mm	15	10	25	961.625	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×27mm (12 on 15)	1400mmX3500mm	15	12	27	1038.555	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×30mm (15 on 15)	1400mmX3500mm	15	15	30	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×33mm (18 on 15)	1400mmX3500mm	15	18	33	1269.345	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×35mm (20 on 15)	1400mmX3500mm	15	20	35	1346.275	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×40mm (25 on 15)	1400mmX3500mm	15	25	40	1538.6	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×45mm (30 on 15)	1400mmX3500mm	15	30	45	1730.925	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
1400X3500×28mm (10 on 18)	1400mmX3500mm	18	10	28	1077.02	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×30mm (12 on 18)	1400mmX3500mm	18	12	30	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×33mm (15 on 18)	1400mmX3500mm	18	15	33	1269.345	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×36mm (18 on 18)	1400mmX3500mm	18	18	36	1384.74	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×38mm (20 on 18)	1400mmX3500mm	18	20	38	1461.67	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×43mm (25 on 18)	1400mmX3500mm	18	25	43	1653.995	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×48mm (30 on 18)	1400mmX3500mm	18	30	48	1846.32	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×30mm (10 on 20)	1400mmX3500mm	20	10	30	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×32mm (12 on 20)	1400mmX3500mm	20	12	32	1230.88	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×35mm (15 on 20)	1400mmX3500mm	20	15	35	1346.275	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×38mm (18 on 20)	1400mmX3500mm	20	18	38	1461.67	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×40mm (20 on 20)	1400mmX3500mm	20	20	40	1538.6	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×45mm (25 on 20)	1400mmX3500mm	20	25	45	1730.925	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×50mm (30 on 20)	1400mmX3500mm	20	30	50	1923.25	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×55mm (35 on 20)	1400mmX3500mm	20	35	55	2115.575	BP-100,BP-200,BP-300,BP-600	Width / Length
1400X3500×60mm (40 on 20)	1400mmX3500mm	20	40	60	2307.9	BP-100,BP-200,BP-300,BP-600	Width / Length

Notes:

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
1500X3000×6mm (3 on 3)	1500mmX3000mm	3	3	6	211.95	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×7mm (4 on 3)	1500mmX3000mm	3	4	7	247.275	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×9mm (6 on 3)	1500mmX3000mm	3	6	9	317.925	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×11mm (8 on 3)	1500mmX3000mm	3	8	11	388.575	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×13mm (10 on 3)	1500mmX3000mm	3	10	13	459.225	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×15mm (12 on 3)	1500mmX3000mm	3	12	15	529.875	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×10mm (4 on 6)	1500mmX3000mm	6	4	10	353.25	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×12mm (6 on 6)	1500mmX3000mm	6	6	12	423.9	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×14mm (8 on 6)	1500mmX3000mm	6	8	14	494.55	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×16mm (10 on 6)	1500mmX3000mm	6	10	16	565.2	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×18mm (12 on 6)	1500mmX3000mm	6	12	18	635.85	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×14mm (6 on 8)	1500mmX3000mm	8	6	14	494.55	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×16mm (8 on 8)	1500mmX3000mm	8	8	16	565.2	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×18mm (10 on 8)	1500mmX3000mm	8	10	18	635.85	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×20mm (12 on 8)	1500mmX3000mm	8	12	20	706.5	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×23mm (15 on 8)	1500mmX3000mm	8	15	23	812.475	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×26mm (18 on 8)	1500mmX3000mm	8	18	26	918.45	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×28mm (20 on 8)	1500mmX3000mm	8	20	28	989.1	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×18mm (8 on 10)	1500mmX3000mm	10	8	18	635.85	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×20mm (10 on 10)	1500mmX3000mm	10	10	20	706.5	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
1500X3000×22mm (12 on 10)	1500mmX3000mm	10	12	22	777.15	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×25mm (15 on 10)	1500mmX3000mm	10	15	25	883.125	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×28mm (18 on 10)	1500mmX3000mm	10	18	28	989.1	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×30mm (20 on 10)	1500mmX3000mm	10	20	30	1059.75	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×35mm (25 on 10)	1500mmX3000mm	10	25	35	1236.375	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×20mm (8 on 12)	1500mmX3000mm	12	8	20	706.5	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×22mm (10 on 12)	1500mmX3000mm	12	10	22	777.15	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×24mm (12 on 12)	1500mmX3000mm	12	12	24	847.8	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×27mm (15 on 12)	1500mmX3000mm	12	15	27	953.775	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×30mm (18 on 12)	1500mmX3000mm	12	18	30	1059.75	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×32mm (20 on 12)	1500mmX3000mm	12	20	32	1130.4	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×37mm (25 on 12)	1500mmX3000mm	12	25	37	1307.025	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×42mm (30 on 12)	1500mmX3000mm	12	30	42	1483.65	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×25mm (10 on 15)	1500mmX3000mm	15	10	25	883.125	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×27mm (12 on 15)	1500mmX3000mm	15	12	27	953.775	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×30mm (15 on 15)	1500mmX3000mm	15	15	30	1059.75	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×33mm (18 on 15)	1500mmX3000mm	15	18	33	1165.725	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×35mm (20 on 15)	1500mmX3000mm	15	20	35	1236.375	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×40mm (25 on 15)	1500mmX3000mm	15	25	40	1413	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×45mm (30 on 15)	1500mmX3000mm	15	30	45	1589.625	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
1500X3000×28mm (10 on 18)	1500mmX3000mm	18	10	28	989.1	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×30mm (12 on 18)	1500mmX3000mm	18	12	30	1059.75	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×33mm (15 on 18)	1500mmX3000mm	18	15	33	1165.725	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×36mm (18 on 18)	1500mmX3000mm	18	18	36	1271.7	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×38mm (20 on 18)	1500mmX3000mm	18	20	38	1342.35	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×43mm (25 on 18)	1500mmX3000mm	18	25	43	1518.975	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×48mm (30 on 18)	1500mmX3000mm	18	30	48	1695.6	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×30mm (10 on 20)	1500mmX3000mm	20	10	30	1059.75	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×32mm (12 on 20)	1500mmX3000mm	20	12	32	1130.4	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×35mm (15 on 20)	1500mmX3000mm	20	15	35	1236.375	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×38mm (18 on 20)	1500mmX3000mm	20	18	38	1342.35	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×40mm (20 on 20)	1500mmX3000mm	20	20	40	1413	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×45mm (25 on 20)	1500mmX3000mm	20	25	45	1589.625	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×50mm (30 on 20)	1500mmX3000mm	20	30	50	1766.25	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×55mm (35 on 20)	1500mmX3000mm	20	35	55	1942.875	BP-100,BP-200,BP-300,BP-600	Width / Length
1500X3000×60mm (40 on 20)	1500mmX3000mm	20	40	60	2119.5	BP-100,BP-200,BP-300,BP-600	Width / Length

Notes:

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
2000X3000×6mm (3 on 3)	2000mmX3000mm	3	3	6	282.6	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×7mm (4 on 3)	2000mmX3000mm	3	4	7	329.7	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×9mm (6 on 3)	2000mmX3000mm	3	6	9	423.9	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×11mm (8 on 3)	2000mmX3000mm	3	8	11	518.1	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×13mm (10 on 3)	2000mmX3000mm	3	10	13	612.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×15mm (12 on 3)	2000mmX3000mm	3	12	15	706.5	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×10mm (4 on 6)	2000mmX3000mm	6	4	10	471	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×12mm (6 on 6)	2000mmX3000mm	6	6	12	565.2	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×14mm (8 on 6)	2000mmX3000mm	6	8	14	659.4	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×16mm (10 on 6)	2000mmX3000mm	6	10	16	753.6	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×18mm (12 on 6)	2000mmX3000mm	6	12	18	847.8	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×14mm (6 on 8)	2000mmX3000mm	8	6	14	659.4	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×16mm (8 on 8)	2000mmX3000mm	8	8	16	753.6	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×18mm (10 on 8)	2000mmX3000mm	8	10	18	847.8	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×20mm (12 on 8)	2000mmX3000mm	8	12	20	942	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×23mm (15 on 8)	2000mmX3000mm	8	15	23	1083.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×26mm (18 on 8)	2000mmX3000mm	8	18	26	1224.6	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×28mm (20 on 8)	2000mmX3000mm	8	20	28	1318.8	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×18mm (8 on 10)	2000mmX3000mm	10	8	18	847.8	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×20mm (10 on 10)	2000mmX3000mm	10	10	20	942	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
2000X3000×22mm (12 on 10)	2000mmX3000mm	10	12	22	1036.2	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×25mm (15 on 10)	2000mmX3000mm	10	15	25	1177.5	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×28mm (18 on 10)	2000mmX3000mm	10	18	28	1318.8	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×30mm (20 on 10)	2000mmX3000mm	10	20	30	1413	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×35mm (25 on 10)	2000mmX3000mm	10	25	35	1648.5	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×20mm (8 on 12)	2000mmX3000mm	12	8	20	942	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×22mm (10 on 12)	2000mmX3000mm	12	10	22	1036.2	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×24mm (12 on 12)	2000mmX3000mm	12	12	24	1130.4	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×27mm (15 on 12)	2000mmX3000mm	12	15	27	1271.7	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×30mm (18 on 12)	2000mmX3000mm	12	18	30	1413	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×32mm (20 on 12)	2000mmX3000mm	12	20	32	1507.2	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×37mm (25 on 12)	2000mmX3000mm	12	25	37	1742.7	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×42mm (30 on 12)	2000mmX3000mm	12	30	42	1978.2	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×25mm (10 on 15)	2000mmX3000mm	15	10	25	1177.5	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×27mm (12 on 15)	2000mmX3000mm	15	12	27	1271.7	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×30mm (15 on 15)	2000mmX3000mm	15	15	30	1413	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×33mm (18 on 15)	2000mmX3000mm	15	18	33	1554.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×35mm (20 on 15)	2000mmX3000mm	15	20	35	1648.5	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×40mm (25 on 15)	2000mmX3000mm	15	25	40	1884	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×45mm (30 on 15)	2000mmX3000mm	15	30	45	2119.5	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
2000X3000×28mm (10 on 18)	2000mmX3000mm	18	10	28	1318.8	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×30mm (12 on 18)	2000mmX3000mm	18	12	30	1413	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×33mm (15 on 18)	2000mmX3000mm	18	15	33	1554.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×36mm (18 on 18)	2000mmX3000mm	18	18	36	1695.6	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×38mm (20 on 18)	2000mmX3000mm	18	20	38	1789.8	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×43mm (25 on 18)	2000mmX3000mm	18	25	43	2025.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×48mm (30 on 18)	2000mmX3000mm	18	30	48	2260.8	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×30mm (10 on 20)	2000mmX3000mm	20	10	30	1413	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×32mm (12 on 20)	2000mmX3000mm	20	12	32	1507.2	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×35mm (15 on 20)	2000mmX3000mm	20	15	35	1648.5	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×38mm (18 on 20)	2000mmX3000mm	20	18	38	1789.8	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×40mm (20 on 20)	2000mmX3000mm	20	20	40	1884	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×45mm (25 on 20)	2000mmX3000mm	20	25	45	2119.5	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×50mm (30 on 20)	2000mmX3000mm	20	30	50	2355	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×55mm (35 on 20)	2000mmX3000mm	20	35	55	2590.5	BP-100,BP-200,BP-300,BP-600	Width / Length
2000X3000×60mm (40 on 20)	2000mmX3000mm	20	40	60	2826	BP-100,BP-200,BP-300,BP-600	Width / Length

Notes:

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
2100X3500×6mm (3 on 3)	2100mmX3500mm	3	3	6	346.185	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×7mm (4 on 3)	2100mmX3500mm	3	4	7	403.8825	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×9mm (6 on 3)	2100mmX3500mm	3	6	9	519.2775	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×11mm (8 on 3)	2100mmX3500mm	3	8	11	634.6725	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×13mm (10 on 3)	2100mmX3500mm	3	10	13	750.0675	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×15mm (12 on 3)	2100mmX3500mm	3	12	15	865.4625	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×10mm (4 on 6)	2100mmX3500mm	6	4	10	576.975	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×12mm (6 on 6)	2100mmX3500mm	6	6	12	692.37	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×14mm (8 on 6)	2100mmX3500mm	6	8	14	807.765	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×16mm (10 on 6)	2100mmX3500mm	6	10	16	923.16	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×18mm (12 on 6)	2100mmX3500mm	6	12	18	1038.555	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×14mm (6 on 8)	2100mmX3500mm	8	6	14	807.765	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×16mm (8 on 8)	2100mmX3500mm	8	8	16	923.16	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×18mm (10 on 8)	2100mmX3500mm	8	10	18	1038.555	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×20mm (12 on 8)	2100mmX3500mm	8	12	20	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×23mm (15 on 8)	2100mmX3500mm	8	15	23	1327.0425	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×26mm (18 on 8)	2100mmX3500mm	8	18	26	1500.135	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×28mm (20 on 8)	2100mmX3500mm	8	20	28	1615.53	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×18mm (8 on 10)	2100mmX3500mm	10	8	18	1038.555	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×20mm (10 on 10)	2100mmX3500mm	10	10	20	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
2100X3500×22mm (12 on 10)	2100mmX3500mm	10	12	22	1269.345	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×25mm (15 on 10)	2100mmX3500mm	10	15	25	1442.4375	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×28mm (18 on 10)	2100mmX3500mm	10	18	28	1615.53	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×30mm (20 on 10)	2100mmX3500mm	10	20	30	1730.925	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×35mm (25 on 10)	2100mmX3500mm	10	25	35	2019.4125	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×20mm (8 on 12)	2100mmX3500mm	12	8	20	1153.95	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×22mm (10 on 12)	2100mmX3500mm	12	10	22	1269.345	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×24mm (12 on 12)	2100mmX3500mm	12	12	24	1384.74	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×27mm (15 on 12)	2100mmX3500mm	12	15	27	1557.8325	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×30mm (18 on 12)	2100mmX3500mm	12	18	30	1730.925	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×32mm (20 on 12)	2100mmX3500mm	12	20	32	1846.32	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×37mm (25 on 12)	2100mmX3500mm	12	25	37	2134.8075	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×42mm (30 on 12)	2100mmX3500mm	12	30	42	2423.295	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×25mm (10 on 15)	2100mmX3500mm	15	10	25	1442.4375	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×27mm (12 on 15)	2100mmX3500mm	15	12	27	1557.8325	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×30mm (15 on 15)	2100mmX3500mm	15	15	30	1730.925	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×33mm (18 on 15)	2100mmX3500mm	15	18	33	1904.0175	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×35mm (20 on 15)	2100mmX3500mm	15	20	35	2019.4125	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×40mm (25 on 15)	2100mmX3500mm	15	25	40	2307.9	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×45mm (30 on 15)	2100mmX3500mm	15	30	45	2596.3875	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
2100X3500×28mm (10 on 18)	2100mmX3500mm	18	10	28	1615.53	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×30mm (12 on 18)	2100mmX3500mm	18	12	30	1730.925	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×33mm (15 on 18)	2100mmX3500mm	18	15	33	1904.0175	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×36mm (18 on 18)	2100mmX3500mm	18	18	36	2077.11	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×38mm (20 on 18)	2100mmX3500mm	18	20	38	2192.505	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×43mm (25 on 18)	2100mmX3500mm	18	25	43	2480.9925	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×48mm (30 on 18)	2100mmX3500mm	18	30	48	2769.48	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×30mm (10 on 20)	2100mmX3500mm	20	10	30	1730.925	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×32mm (12 on 20)	2100mmX3500mm	20	12	32	1846.32	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×35mm (15 on 20)	2100mmX3500mm	20	15	35	2019.4125	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×38mm (18 on 20)	2100mmX3500mm	20	18	38	2192.505	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×40mm (20 on 20)	2100mmX3500mm	20	20	40	2307.9	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×45mm (25 on 20)	2100mmX3500mm	20	25	45	2596.3875	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×50mm (30 on 20)	2100mmX3500mm	20	30	50	2884.875	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×55mm (35 on 20)	2100mmX3500mm	20	35	55	3173.3625	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X3500×60mm (40 on 20)	2100mmX3500mm	20	40	60	3461.85	BP-100,BP-200,BP-300,BP-600	Width / Length

Notes:

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
2100X6000×6mm (3 on 3)	2100mmX6000mm	3	3	6	593.46	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×7mm (4 on 3)	2100mmX6000mm	3	4	7	692.37	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×9mm (6 on 3)	2100mmX6000mm	3	6	9	890.19	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×11mm (8 on 3)	2100mmX6000mm	3	8	11	1088.01	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×13mm (10 on 3)	2100mmX6000mm	3	10	13	1285.83	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×15mm (12 on 3)	2100mmX6000mm	3	12	15	1483.65	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×10mm (4 on 6)	2100mmX6000mm	6	4	10	989.1	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×12mm (6 on 6)	2100mmX6000mm	6	6	12	1186.92	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×14mm (8 on 6)	2100mmX6000mm	6	8	14	1384.74	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×16mm (10 on 6)	2100mmX6000mm	6	10	16	1582.56	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×18mm (12 on 6)	2100mmX6000mm	6	12	18	1780.38	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×14mm (6 on 8)	2100mmX6000mm	8	6	14	1384.74	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×16mm (8 on 8)	2100mmX6000mm	8	8	16	1582.56	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×18mm (10 on 8)	2100mmX6000mm	8	10	18	1780.38	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×20mm (12 on 8)	2100mmX6000mm	8	12	20	1978.2	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×23mm (15 on 8)	2100mmX6000mm	8	15	23	2274.93	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×26mm (18 on 8)	2100mmX6000mm	8	18	26	2571.66	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×28mm (20 on 8)	2100mmX6000mm	8	20	28	2769.48	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×18mm (8 on 10)	2100mmX6000mm	10	8	18	1780.38	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×20mm (10 on 10)	2100mmX6000mm	10	10	20	1978.2	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
2100X6000×22mm (12 on 10)	2100mmX6000mm	10	12	22	2176.02	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×25mm (15 on 10)	2100mmX6000mm	10	15	25	2472.75	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×28mm (18 on 10)	2100mmX6000mm	10	18	28	2769.48	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×30mm (20 on 10)	2100mmX6000mm	10	20	30	2967.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×35mm (25 on 10)	2100mmX6000mm	10	25	35	3461.85	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×20mm (8 on 12)	2100mmX6000mm	12	8	20	1978.2	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×22mm (10 on 12)	2100mmX6000mm	12	10	22	2176.02	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×24mm (12 on 12)	2100mmX6000mm	12	12	24	2373.84	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×27mm (15 on 12)	2100mmX6000mm	12	15	27	2670.57	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×30mm (18 on 12)	2100mmX6000mm	12	18	30	2967.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×32mm (20 on 12)	2100mmX6000mm	12	20	32	3165.12	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×37mm (25 on 12)	2100mmX6000mm	12	25	37	3659.67	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×42mm (30 on 12)	2100mmX6000mm	12	30	42	4154.22	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×25mm (10 on 15)	2100mmX6000mm	15	10	25	2472.75	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×27mm (12 on 15)	2100mmX6000mm	15	12	27	2670.57	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×30mm (15 on 15)	2100mmX6000mm	15	15	30	2967.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×33mm (18 on 15)	2100mmX6000mm	15	18	33	3264.03	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×35mm (20 on 15)	2100mmX6000mm	15	20	35	3461.85	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×40mm (25 on 15)	2100mmX6000mm	15	25	40	3956.4	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×45mm (30 on 15)	2100mmX6000mm	15	30	45	4450.95	BP-100,BP-200,BP-300,BP-600	Width / Length

BP CCO plate Item	Standard Size	Base Material Thickness	Hardfacing Tickness	Standard Plate Size ±1 mm	Weight (Kgs)	Material Option	Overlay Parallel
2100X6000×28mm (10 on 18)	2100mmX6000mm	18	10	28	2769.48	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×30mm (12 on 18)	2100mmX6000mm	18	12	30	2967.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×33mm (15 on 18)	2100mmX6000mm	18	15	33	3264.03	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×36mm (18 on 18)	2100mmX6000mm	18	18	36	3560.76	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×38mm (20 on 18)	2100mmX6000mm	18	20	38	3758.58	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×43mm (25 on 18)	2100mmX6000mm	18	25	43	4253.13	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×48mm (30 on 18)	2100mmX6000mm	18	30	48	4747.68	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×30mm (10 on 20)	2100mmX6000mm	20	10	30	2967.3	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×32mm (12 on 20)	2100mmX6000mm	20	12	32	3165.12	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×35mm (15 on 20)	2100mmX6000mm	20	15	35	3461.85	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×38mm (18 on 20)	2100mmX6000mm	20	18	38	3758.58	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×40mm (20 on 20)	2100mmX6000mm	20	20	40	3956.4	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×45mm (25 on 20)	2100mmX6000mm	20	25	45	4450.95	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×50mm (30 on 20)	2100mmX6000mm	20	30	50	4945.5	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×55mm (35 on 20)	2100mmX6000mm	20	35	55	5440.05	BP-100,BP-200,BP-300,BP-600	Width / Length
2100X6000×60mm (40 on 20)	2100mmX6000mm	20	40	60	5934.6	BP-100,BP-200,BP-300,BP-600	Width / Length

Notes: